



42 **MODEL S22P-10** 22" Multi-Touch Monitor



DISPLAY DETAILS

LCD SIZE / TYPE	21.5" TFT - ACTIVE MATRIX
ACTIVE AREA	476.1 H X 267.8 V MM WLED
BACKLIGHT	16:9
ASPECT RATIO	1920 X 1080 FULL HD
NATIVE RESOLUTION	16.7 M (6 BITS + A-FRC)
DISPLAY COLORS	0.248 H X 0.248 V MM
PIXEL PITCH BRIGHTNESS	225 CD/M2 (TYPICAL)
CONTRAST RATIO	1000:1
HOR. VIEWING ANGLE	178° (TYPICAL)
VERT. VIEWING ANGLE	178° (TYPICAL)
RESPONSE TIME	14 MS (TYPICAL)

TOUCH DETAILS

TOUCH TECHNOLOGY	PROJECTED CAPACITIVE
MULTI-TOUCH INPUT	10 POINTS
INPUT METHOD	FINGER, THIN GLOVE
TOUCH INTERFACE	USB-TYPE B
MULTI-TOUCH OS SUPPORT	WINDOWS 7/8/8.X AND LINUX - HID
SINGLE-TOUCH OS SUPPORT	ALL WINDOWS AND LINUX

PRODUCT DETAILS

POWER SUPPLY	12V DC, 4.16A
POWER CONSUMPTION	OPERATING: 27W SLEEP: 2W OFF: 1W
VIDEO INPUT	ANALOG VGA, DVI-D
AUDIO INPUT	NONE
MOUNTING OPTIONS	VESA MOUNT, OPTIONAL STAND OR HOLES
VESA PATTERN	100 X 100 MM
OPERATING CONDITIONS	0°C TO +40°C, NONCONDENSING 80%
AGENCY APPROVALS	TUV, CE, UL, CUL, FCC-B, ROHS, IP65
WARRANTY	3 YEAR

DIMENSIONS

DISPLAY (WXHXD)	517.4 X 313.3X 46.0 MM
DISPLAY WEIGHT	4.4 KG